


Available online at www.sciencedirect.com



Dyes and Pigments 59 (2003) I-II



## Contents of Volume 59

## Number 1

- Molecular stacks as a common characteristic in the crystal lattice of organic pigment dyes A contribution to the "soluble-insoluble" dichotomy of dyes and pigments from the technological point of view G. LINCKE (Germany)
- 25 Azo-hydrazone tautomerism of phenylazonaphthol sulfonates and their analysis using the semiempirical molecular orbital PM5 method T. HIHARA, Y. OKADA & Z. MORITA (Japan)
- 43 Crystallographic structure and solid-state fluorescence enhancement behavior of a 2-(9-anthryl)phenanthroimidazole-type clathrate host upon inclusion of amine molecules L. BU, T. SAWADA, Y. KUWAHARA, H. SHOSENJI & K. YOSHIDA (Japan)
- 53 Azocalixarenes. 1: synthesis, characterization and investigation of the absorption spectra of substituted azocalix[4]arenes
  F. KARCI, İ. ŞENER & H. DELIGÖZ (Turkey)
- 63 Synthesis and optical recording properties of some novel styryl dyes for DVD-R C.-C. LEE & A.T. HU (ROC)
- 71 The development of a metal-free, tannic acid-based aftertreatment for nylon 6,6 dyed with acid dyes—part 2: further studies
  S.M. BURKINSHAW & B. BAHOJB-ALLAFAN (UK)
- 99 4-Arylamino-6-chloro-1,3,5-triazin-2(1H)-ones: nucleophilic substitution of a model compound in acid medium to produce novel fibre reactive triazinyl derivatives A.H.M. RENFREW, D.A.S. PHILLIPS & I. BATES (UK)

## Number 2

- 107 Publisher's note
- 109 An approach to novel NIR dyes utilising α-effect donor groups H. LANGHALS & P. BLANKE (Germany)
- 117 Mutagenicity of aminoazo dyes and their reductive-cleavage metabolites: a QSAR/QPAR investigation L. SZTANDERA, A. GARG, S. HAYIK, K.L. BHAT & C.W. BOCK (USA)
- 135 Synthesis and characteristics of dicyanopyrazine dyes containing spiropyran group B.H. LEE & J.Y. JAUNG (South Korea)
- 143 Synthesis and luminescent properties of some novel naphthalimide dimers Q.-C. WANG, J. REN, D.-H. QU, X.-L. ZHAO, K. CHEN, H. TIAN (PR China) & P. ERK (Germany)
- 153 Novel polymeric metal complexes based on bis-(8-hydroxylquinolinol) J. XIE, L. FAN, J. SU & H. TIAN (PR China)
- 163 New benzo[e]indolinium cyanine dyes with two different fluorescence wavelengths Q.-C. WANG, D. QU, J. REN, L. XU, M. LIU & H. TIAN (PR China)

- 173 Reactive dye decolorization using combined ultrasound/H<sub>2</sub>O<sub>2</sub> D.B. VONINA & A. MAJCEN-LE-MARECHAL (Slovenia)
- 181. Chemical bath deposition of cerium doped BiVO<sub>4</sub> M.C. NEVES (Portugal), M. LEHOCKY (Czech Republic), R. SOARES (Portugal), L. LAPCIK JR. (Czech Republic) & T. TRINDADE (Portugal)
- 185 Synthesis and properties of some polycyclic barbiturate pigments D. THETFORD, A.P. CHORLTON & J. HARDMAN (UK)
- 193 Synthesis and application of disperse dyes based on 1,4-bis(benzothiazol-2-yl)benzene to polyethylene terephthalate
  M. HUMPHREYS, N. HALL, D.A.S. PHILLIPS & J.A. TAYLOR (UK)

## Number 3

- 201 Reactivity of phenylazonaphthol sulfonates, their estimation by semiempirical molecular orbital PM5 method, and the relation between their reactivity and azo-hydrazone tautomerism T. HIHARA, Y. OKADA & Z. MORITA (Japan)
- 223 State of the art technologies and new electrochemical methods for the reduction of vat dyes A. ROESSLER & X. JIN (Switzerland)
- 237 Synthesis, spectral, magnetic and thermal studies on symmetrically substituted metal (II) 1,3,8,10,15,17,22,24-octachlorophthalocyanines
  K.R. VENUGOPALA REDDY, J. KESHAVAYYA & J. SEETHARAMAPPA (India)
- 245 Light emitting properties of diheteryl-substituted styryl dyes S.-H. KIM (South Korea), J.-Z. CUI (China), J.-Y. PARK, E.-M. HAN & S.-M. PARK (South Korea)
- 251 Structure and properties of some cresolphthalein derivatives W.E. BRENZOVICH JR., M.D. ODELL, J.P. SOARES & C.J. ABELT (USA)
- 263 Synthesis of phthalocyanines with tridentate branched bulky and alkylthio groups E. HAMURYUDAN, S. MEREY & Z.A. BAYIR (Turkey)
- 269 The photofading mechanism of commercial reactive dyes on cotton S.N. BATCHELOR, D. CARR, C.E. COLEMAN, L. FAIRCLOUGH & A. JARVIS (UK)
- 277 Synthesis of new polymerizable 1,8-naphthalimide dyes containing a 2-hydroxyphenylbenzotriazole fragment V. BOJINOV & I. GRABCHEV (Bulgaria)
- 285 Interaction of oxidative bleach containing detergents with dyes. Part 1: Preparation and resistance of 1-amino-2-arylazonaphthalene-4-sulphonic acid dyes to hydrogen peroxide and m-chloroperbenzoic acid D. AKERMAN, D.A.S. PHILLIPS & J.A. TAYLOR (UK)

